COTTON COLLEGE STATE UNIVERSITY

Panbazar, Guwahati - 781001, Assam, India

Notice Inviting Quotation

Cotton College State University invites sealed quotation from Dealer/ Supplier for supplying and installation of 10kVA, 3-phase (Water cooled) silent Diesel Generator. The quotation paper will be received till 14.00 hours of 28th of July 2015 and the same will be opened on the same date and time in the office in presence of the CCSU panel.

1. General Terms and conditions

- 1. Items should be delivered to the "Administrative Building Cotton College State University, Panbazar, Guwahati-781001".
- 2. Installation cost should be mentioned separately. Installation cost should include all material cost and labor charge needed during installation. No other charges are applicable in this section.
- 3. 3-phase to 1-phase splitter arrangement is necessary and should be able to use for 1-phase applications.
- 4. Should provide free maintenance for 2 years.
- 5. Incomplete and late Quotations are liable to be rejected summarily.
- 6. Quotation should be submitted in sealed envelope on or before 28th of July 2015 clearly super-scribed on the top of the envelope as "Quotation for supplying and installation of 10kVA, 3-phase (Water cooled) silent Diesel Generator" to "The Registrar, Cotton College State University, Panbazar, Guwahati-781001".

2. Technical specifications

	Rated kVA- 10			
	Rated kW- 8			
Technical specifications	Phase- 3			
	Rated voltage- 415/230 volts			
	Rated current- 13.90amps (for 3-phase)			
	Rated p.f 0.85			
	Noise level(in dB)			
	not more than 75dB			
	Canopies should be installed in standard enclosure.			
	Four earthing rods of GI of 6 feet (min.) should be installed.			
	Control Panel should be of AMF type and user friendly.			
	Should have following failure indications in the panel with corrective measures; i.e, relays			
	should be installed for proper indication and tripping.			
	1. Over voltage/ Under voltage			
	2. Over Frequency /Under Frequency			
	3. LLOP (Low lube oil pressure)			
	4. High water Temperature			
	5. Low Fuel Level			
	6. Over Load			

Cotton College State University Panbazar, Guwahati-781001, Assam

COTTON COLLEGE STATE UNIVERSITY

Panbazar, Guwahati - 781001, Assam, India

Application Format

2. Addre	ess					
Telepho	ne No					
Fax No						
Email						
Web site	e (if any)					
Commercial Information Registration (Enclose Attested Copy wherever Applicable)						
VAT/TIN/CST No						
Dealership certificate No						
PAN/TAN						
Quotation						
Sl no	Item	Quantity	Rate of DG with AMF panel (in figure and words)	Rate of installation (in figure and words)		
1	DG with technical specification at	1				
	serial no. 2					

Declaration by Dealer/ Supplier

1. Name of the Dealer/ Supplier

The information furnished is correct to the best of my knowledge and belief.

(Signature of Applicant)

Name in full

Memo No:- CCSU/EC/2015-16/002/6/ Copy to:-

- 1. P.S. to V.C. for intimation to the Honorable V.C.
- 2. M/S-----

Registrar

Cotton College State University

Cotton College State University Panbazar, Guwahati-781001, Assam